

Material Safety Data Sheet BB300 Praseodymium Oxide

Clays Glazes Colours

Company Details Walker Ceramics 5 McLellan Street Bayswater Victoria 3153, Australia

Telephone (03) 8761 6322 Fax (03) 8761 6344

Email sales@walkerceramics.com.au Website www.walkerceramics.com.au

Date Of Issue: March 2019

| IDENTIFICATION | |
|---|-------------------------------|
| Product Name | praseodymium oxide |
| Other Names | None |
| Manufacturers Product Code | BB300 |
| UN Number | None |
| Dangerous Goods Class & Subsidiary Code | None |
| Hazchem Code | None |
| Poisons Schedule Number | None |
| CAS Number | 12037-29-5 |
| Use(s) | Used in ceramics and pottery. |

| PHYSICAL DESCRIPTION / PROPERTIES | |
|-----------------------------------|--------------------|
| Appearance | Fine black powder. |
| Boiling Point / Melting Point | 2200oC |
| Vapour Pressure | Not applicable |
| Specific Gravity | 4.0 |
| Flashpoint | Not applicable |
| Flammability Limits | Not applicable |
| Solubility in Water | Immiscible. |
| Other Properties | |

| INGREDIENTS | | |
|--------------------|------------|----------------|
| Chemical Name | CAS Number | Proportion (%) |
| praseodymium oxide | 12037-29-5 | 100 |

| HEALTH HAZA | ARD INFORMATION | |
|-------------|---|--|
| Acute | | |
| Swallowed | This solid/dust is harmful to the gastrointestinal tract. May cause vomiting, general pain, dizziness, convulsions, shock, coma and | |
| | possibly death. Copper salts tend to cause vomiting and for this reason poisoning by ingestion of large amounts is vary rare. | |
| Eye | The dust may produce irritation of the eyes. | |
| Skin | This product is abrasive and may cause irritation and dryness of the skin. | |
| Inhaled | This product as dust may cause respiratory irritation to the upper respiratory tract and lungs. | |
| Chronic | Prolonged exposure may give rise to kidney injury, enlargement of the liver, jaundice and possible effects of the nervous system | |
| | have been reported. | |

| FIRST AID | |
|------------------|--|
| Swallowed | Contact POISON INFORMATION CENTRE and seek medical advice. Vomiting, gastric pain, dizziness, convulsions, shock, coma and death may result. |
| Eye | Immediately hold eyes open and wash continuously with running water for at least 15 minutes. Ensure irrigation includes under eyelids. TRAINED STAFF ONLY ARE TO ATTEMPT THE REMOVAL OF CONTACT LENSES. Seek medical attention without delay. |
| Skin | Remove all contaminated clothing immediately, including footwear and wash thoroughly before re-use . Wash affected areas thoroughly with soap and water if available. Seek medical attention in the event of irritation. |
| Inhaled | Remove to fresh air. Encourage the patient to clear nasal passages by blowing nose. Rinse mouth with water and consider drinking to clear throat. Seek medical attention. If breathing has stopped, ensure the airway is clear and apply resuscitation. Transport to hospital or doctor. |
| Advice To Doctor | Treat symptomatically. |

| PRECAUTIONS FOR USE | |
|----------------------|---|
| Exposure Standards | Copper, elemental and inorganic compounds as Cu |
| | TLV TWA 0.02 mg/m3 as dust |
| | ACGIH = American Conference of Governmental Industrial Hygienists. |
| | TWA = Time Weighted Average |
| | NOHSC =National Health & Safety Commission |
| Engineering Controls | Ensure workplace is well ventilated. |
| Personal Protection | Approved respirator to AS1715 to be worn, gloves, safety glasses and protective overalls. Wash hands and face |
| | thoroughly after handling and before work breaks, eating, drinking, smoking and using toilet facilities. |
| Flammability | Not flammable under the conditions of use but the containers may burn. |

| SAFE HANDLING INFORMATION | |
|---------------------------|---|
| Storage & Transport | Store and transport in accordance with all regulations. Keep tightly closed in a dry, cool and well-ventilated |
| | place. Not subject to hazardous substances labelling. |
| Spills & Disposal | Dispose of in accordance with all Local, State and Federal regulations by incineration or disposal to landfill. |
| Fire / Explosion Hazard | Fire-fighters should wear full protective clothing including self-contained breathing apparatus. Use water, |
| | foam or dry extinguishing media. Use equipment/media appropriate to surrounding fire conditions. Dispose of |
| | fire debris and contaminated extinguishing water in accordance with local regulations. |

| OTHER INFORMATION | |
|-------------------|---------------------------------------|
| | AUSTRALIAN POISONS INFORMATION CENTRE |
| | 24 HOUR SERVICE 13 11 26 |
| | POLICE / FIRE / AMBULANCE 000 |
| | |

| CONTACT POINT | Walker Ceramics 5 McLellan Street Bayswater Victoria 3153, Australia Telephone (03) 8761 6322 Fax (03) 8761 6344 |
|---------------|--|
| | Email sales@walkerceramics.com.au Website www.walkerceramics.com.au Date Of Issue: March 2019 |

This MSDS summarises, at the date of issue, our best knowledge of the health & safety hazard information for this product, and in particular how to safely handle and use this product in the workplace. Since Walker Ceramics and its agents cannot anticipate or control the conditions under which this product may be used, each user must prior to usage, review this MSDS in the context of how the user intends to handle and use this product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact us.

Our responsibility for products sold, is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.