

## Material Safety Data Sheet EUR5038 Green Gold Rutile Matt Glaze

Clays Glazes Colours

This substance is hazardous according to criteria of Worksafe Australia. Company Walker Ceramics 5 McLellan Street Bayswater Victoria 3153, Australia Details Telephone (03) 8761 6322 Fax (03) 8761 6344 Email sales@walkerceramics.com.au Website www.walkerceramics.com.au Date Of Issue: March 2019 IDENTIFICATION Green Gold Rutile Matt Glaze Product Name Other Names None EUR5038 Manufacturers Product Code UN Number None Dangerous Goods Class & Subsidiary Code None Hazchem Code None Poisons Schedule Number None Used in the decoration of pottery & ceramics. Use(s) PHYSICAL DESCRIPTION / PROPERTIES Fine pale green powder Appearance Boiling Point / Melting Point >300°C Vapour Pressure Not applicable Specific Gravity Approx 2.7 Flashpoint Not applicable Flammability Limits Not applicable Solubility in Water Negligible Other Properties Glazes are essentially mixtures formed by blending frit powders, clays and other raw materials INGREDIENTS **Chemical Name** CAS Number Proportion (%) Silica (Quartz) 14808-60-7 10-30 Lead, inorganic as Pb 7439-92-1 10-30 Rutile None 10-30 Copper (II) Carbonate Basic 12069-69-1 <5 21645-51-2 Hydrated Alumina <5 Nepheline Syenite 37244-96-4 <5 1332-58-7 Kaolin as clay <5 HEALTH HAZARD INFORMATION The silica for this product is incorporated into the glass like structure of the frit, chemically reacted in the form of silicates or other essentially Acute insoluble complexes. Exposure to the hazardous ingredients can occur if the dust is inhaled or ingested and the ingredients dissolve out. This process is anticipated to occur very slowly. Dust may cause irritation of the eyes, skin and respiratory tract. Prolonged and/or repeated exposure to the dust may result in fibrotic lung damage (silicosis) in some people Swallowed Large doses may cause gastro-intestinal irritation. The dust may cause irritation of the eyes. Eye The dust may cause irritation and dryness of the skin. Skin Inhaled Breathing the dust may cause respiratory irritation and discomfort Chronic No specific information is available. FIRST AID

Swallowed	Give water or milk. Seek medical advice.
Eye	Irrigate with water for at least 15 minutes and seek medical advice if symptoms persist.
Skin	Wash thoroughly with soap and water. Change into clean clothing and launder contaminated clothing.
Inhaled	Remove to fresh air. Encourage patient to clear nasal passages. If breathing has stopped apply artificial respiration and seek immediate
	medical assistance.
First Aid Facilities	Washing area, eye wash.
Advice To Doctor	Treat symptomatically.

Exposure Standards	Silica (as respirable dust)
	ACGHI 0.01 mg/m3
	Lead ACGHI 0.15 mg/m3
	Hydrated Alumina TLV TWA 10.0 mg/m3
	Rutile as dust TLV_TWA 0.02 mg/m3
	Copper as dust TLV TWA 0.02 mg/m3
	Nepheline Syenite TLV TWA 10.0 mg/m3
	Kaolin as clay TLV TWA 2.0 mg/m3
	ACGIH = American Conference of Governmental Industrial Hygienists. TWA = Time Weighted Average
	NOHSC =National Health & Safety Commission
ngineering Controls	Ensure workplace is well ventilated.
ersonal Protection	Approved respirator to AS1715 to be worn, gloves, safety glasses and protective overalls. Wash hands and face thoroughly after handling and before work breaks, eating, drinking, smoking and using toilet facilities.
lammability	Not flammable under the conditions of use but the containers may burn.

SAFE HANDLING INFO	

SAFE HANDLING INFORMATION	
Storage & Transport	Store and transport in accordance with all regulations. Keep tightly closed in a dry, cool and well-ventilated place. Not subject to hazardous substances labelling.
Spills & Disposal	Dispose of in accordance with all Local, State and Federal regulations by incineration or disposal to landfill.
Fire / Explosion Hazard	Fire-fighters should wear full protective clothing including self-contained breathing apparatus. Use water, foam or dry extinguishing media. Use equipment/media appropriate to surrounding fire conditions. Dispose of fire debris and
	contaminated extinguishing water in accordance with local regulations.
OTHER INFORMATION	Unless adequately fired, utensils glazed with this preparation must not be used as containers for food or beverages. To do
OTHER INFORMATION	Image: contaminated extinguishing water in accordance with local regulations.   Unless adequately fired, utensils glazed with this preparation must not be used as containers for food or beverages. To do so may lead to lead poisoning.   AUSTRALIAN POISONS INFORMATION CENTRE
OTHER INFORMATION	Unless adequately fired, utensils glazed with this preparation must not be used as containers for food or beverages. To do so may lead to lead poisoning.

Telephone (03) 8761 6322 Fax (03) 8761 6344 Email <u>sales@walkerceramics.com.au</u> Website <u>www.walkerceramics.com.au</u> Date Of Issue: March 2019

This MSDS summarises, at the date of issue, our best knowledge of the health & safety hazard information for this product, and in particular how to safely handle and use this product in the workplace. Since Walker Ceramics and its agents cannot anticipate or control the conditions under which this product may be used, each user must prior to usage, review this MSDS in the context of how the user intends to handle and use this product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact us.

Our responsibility for products sold, is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.