

Clays Glazes Colours

Material Safety Data Sheet

FK18 Red Emperor Design Colour

Not classified as Hazardous According To Criteria Of Safe Work Australia.		
Details Telephone (03) 8761 6322	an Street Bayswater Victoria 3153, Australia Fax (03) 8761 6344 <u>cs.com.au</u> Website <u>www.walkerceramics.com.au</u>	<u>l</u>
IDENTIFICATION		
Product Name	Red Emperor Design Colour Liquid Con	centrate
Other Names	None	
Manufacturers Product Code	FK18	
UN Number	N/A	
Dangerous Goods Class & Subsidiary Code	N/A	
Hazchem Code	N/A	
Poisons Schedule Number	N/A	
Use(s)	Decoration of ceramic & pottery ware.	
PHYSICAL DESCRIPTION / PROPERTIES		
Appearance	Dark red viscose liquid.	
Boiling Point / Melting Point	197°C+	
Vapour Pressure	< 1mm of Hg	
Specific Gravity	1.4	
Flashpoint	Not applicable	
Flammability Limits	Non-flammable.	
Solubility in Water	Not applicable	
Other Properties	Miscible with water, alcohol and ether. Cera	· •
	high temperature calcination and silica or fe	eluspai.
INGREDIENTS		
Chemical Name	CAS Number	Proportion (%)
Silica	14808-60-7	<15
Red Inclusion Pigment	102184-95-2	<5
Clyerine	56-81-5	<5
Ingredients determined not to be hazardous		Up to 100
HEALTH HAZARD INFORMATION		
Acute		1 · · · · · · ·
Swallowed	Large oral doses may cause gastrointestina	al irritation.
Eye	Dust may cause irritation to eyes.	
Skin	Dust may cause irritation and dryness of the skin.	
Inhaled	Breathing dust may cause respiratory irritat	
Chronic	Silica dust may cause mechanical irritation	
	Prolonged exposure to crystalling silica due	t can result in silicosis in some noonle

Prolonged exposure to crystalline silica dust can result in silicosis in some people.

FIRST AID	
Swallowed	Rinse mouth and then drink plenty of water in small sips.
Eye	Wash affected eyes for at least 15 minutes under running water with eyelids held
	open. Seek medical attention if irritation persists.
Skin	Wash thoroughly with soap and water.
Inhaled	Keep patient calm and remove to fresh air.
First Aid Facilities	Ensure an eye bath is available and ready for use.
Advice To Doctor	Treat symptomatically based on judgement of doctor and individual reactions of
	patient.

PRECAUTIONS FOR USE	
Exposure Standards	Silica
	TWA 0.1mg/m3 as respirable dust.
	Zirconium Compounds
	NOHSC TWA 5.0 mg/m3
	Cadmium Compounds
	NOHSC TWA 0.015 mg/m3
	ACGIH = American Conference of Governmental Industrial Hygienists.
	TWA = Time Weighted Average
	NOHSC =National Health & Safety Commission
Engineering Controls	Ensure workplace is well ventilated.
Personal Protection	Protective clothing. Wash hands and face thoroughly after handling and before work
	breaks, eating, drinking, smoking and using toilet facilities.
Flammability	Not applicable

SAFE HANDLING INFORMATION	
Storage & Transport	Store and transport in accordance with all regulations. Keep tightly closed in a dry,
	cool and well-ventilated place. Not subject to hazardous substances labelling.
Spills & Disposal	Dispose of in accordance with all Local, State and Federal regulations by
	incineration or disposal to landfill.
Fire / Explosion Hazard	Fire-fighters should wear full protective clothing including self-contained
	breathing apparatus. Use water, foam or dry extinguishing media. Use
	equipment/media appropriate to surrounding fire conditions. Dispose of fire
	debris and contaminated extinguishing water in accordance with local regulations.
OTHER INFORMATION	Ecotoxic effects : no data available
	AUSTRALIAN POISONS INFORMATION CENTRE

	POLICE OR FIRE BRIGADE 000
CONTACT POINT	Walker Ceramics 5 McLellan Street Bayswater Victoria 3153, Australia Telephone (03) 8761 6322 Fax (03) 8761 6344 Email <u>sales@walkerceramics.com.au</u> Website <u>www.walkerceramics.com.au</u> Date Of Issue: March 2019

24 HOUR SERVICE 1311 26

This MSDS summarises, at the date of issue, our best knowledge of the health & safety hazard information for this product, and in particular how to safely handle and use this product in the workplace. Since Walker Ceramics and its agents cannot anticipate or control the conditions under which this product may be used, each user must prior to usage, review this MSDS in the context of how the user intends to handle and use this product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact us. Our responsibility for products sold, is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.